RECEIVED



1600

RAW SEQUENCE LISTING

4 <110> APPLICANT: Jonassen, Ib

DATE: 04/17/2003 TIME: 08:40:19

PATENT APPLICATION: US/09/772,607C

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\04172003\I772607C.raw

```
Havelund, Svend
             Hansen, Per Hertz
     7
             Kurtzhals, Peter
            Halstrom, John B.
    10 <120> TITLE OF INVENTION: Peptide Derivatives
    13 <130> FILE REFERENCE: 4409.214-US
    15 <140> CURRENT APPLICATION NUMBER: US 09/772,607C
    16 <141> CURRENT FILING DATE: 2001-01-30
    18 <150> PRIOR APPLICATION NUMBER: US 09/068,822
    19 <151> PRIOR FILING DATE: 1998-05-14
    21 <150> PRIOR APPLICATION NUMBER: PCT/DK96/00106
     22 <151> PRIOR FILING DATE: 1996-03-18
    24 <150> PRIOR APPLICATION NUMBER: DK 275/95
    25 <151> PRIOR FILING DATE: 1995-03-18
    27 <160> NUMBER OF SEQ ID NOS: 14
    29 <170> SOFTWARE: FastSEO for Windows Version 4.0
    31 <210> SEQ ID NO: 1
    32 <211> LENGTH: 15
    33 <212> TYPE: PRT
     34 <213> ORGANISM: Artificial Sequence
    36 <220> FEATURE:
    37 <223> OTHER INFORMATION: Synthetic
    39 <220> FEATURE:
    40 <221> NAME/KEY: MOD RES
     41 <222> LOCATION: LOCATION :15
    42 <223> OTHER INFORMATION: Lys at position 15 is modified with Nepsilon-gamma- Glu
(Nalpha -
             tetradecanoyl)-OH)
    43
    45 <400> SEQUENCE: 1
    ·46 Ala Gly Cys Lys Asn Phe Phe Trp Lys Thr Tyr Thr Ser Cys Lys
    49 <210> SEQ ID NO: 2
    50 <211> LENGTH: 28
    51 <212> TYPE: PRT
    52 <213> ORGANISM: Artificial Sequence
    54 <220> FEATURE:
    55 <223> OTHER INFORMATION: Synthetic
    57 <220> FEATURE:
    58 <221> NAME/KEY: MOD RES
    59 <222> LOCATION: LOCATION: 28
    60 <223> OTHER INFORMATION: Lys at position 28 is modified with Nepsilon-gamma- Glu
(Nalpha -
    61
             tetradecanoyl)-OH)
```

W--> 62 <400> SEQUENCE: 2

```
PATENT APPLICATION: US/09/772,607C
                                                             TIME: 08:40:19
                     Input Set : A:\PTO.AMC.txt
                     Output Set: N:\CRF4\04172003\I772607C.raw
     63 His Ala Glu Gly Thr Phe Thr Ser Asp Val Ser Ser Tyr Leu Glu Gly
     65 Gln Ala Ala Lys Glu Phe Ile Ala Trp Leu Val Lys
                    20
     69 <210> SEQ ID NO: 3
     70 <211> LENGTH: 29
     71 <212> TYPE: PRT
     72 <213> ORGANISM: Artificial Sequence
     74 <220> FEATURE:
     75 <223> OTHER INFORMATION: Synthetic
     77 <220> FEATURE:
     78 <221> NAME/KEY: MOD RES
     79 <222> LOCATION: LOCATION: 29
     80 <223> OTHER INFORMATION: Lys at position 29 is modified with Nepsilon-gamma- Glu
(Nalpha -
     81
              tetradecanoyl)-OH
     83 <400> SEQUENCE: 3
     84 Ser Leu Arg Arg Ser Ser Cys Phe Gly Gly Arg Met Asp Arg Ile Gly
     86 Ala Gln Ser Gly Leu Gly Cys Asn Ser Phe Arg Tyr Lys
     89 <210> SEQ ID NO: 4
     90 <211> LENGTH: 11
     91 <212> TYPE: PRT
     92 <213> ORGANISM: Artificial Sequence
     94 <220> FEATURE:
     95 <223> OTHER INFORMATION: Synthetic
     97 <220> FEATURE:
     98 <221> NAME/KEY: MUTAGEN
     99 <222> LOCATION: LOCATION: 8
     100 <223> OTHER INFORMATION: Xaa = Ala as a D-amino acid
     102 <400> SEOUENCE: 4
W--> 103 Tyr Gly Gly Phe Cys Arg Arg Xaa Arg Pro Cys
     104 1
     106 <210> SEQ ID NO: 5
     107 <211> LENGTH: 6
     108 <212> TYPE: PRT
     109 <213> ORGANISM: Artificial Sequence
     111 <220> FEATURE:
     112 <223> OTHER INFORMATION: Synthetic
     114 <220> FEATURE:
     115 <221> NAME/KEY: MOD RES
     116 <222> LOCATION: LOCATION: 6
     117 <223> OTHER INFORMATION: Lys at position 6 is modified with Nepsilon-gamma- Glu
(Nalpha -
     118
               tetradecanoyl) -OH)
     120 <400> SEQUENCE: 5
     121 Ala Pro Gly Pro Arg Lys
     122 1
     124 <210> SEO ID NO: 6
     125 <211> LENGTH: 6
```

RAW SEQUENCE LISTING

TIME: 08:40:19

Input Set : A:\PTO.AMC.txt Output Set: N:\CRF4\04172003\I772607C.raw 126 <212> TYPE: PRT 127 <213> ORGANISM: Artificial Sequence 129 <220> FEATURE: 130 <223> OTHER INFORMATION: Synthetic 132 <220> FEATURE: 133 <221> NAME/KEY: MUTAGEN 134 <222> LOCATION: LOCATION: 1 135 <223> OTHER INFORMATION: Xaa at position 1 is formylated Nle 137 <220> FEATURE: 138 <221> NAME/KEY: MUTAGEN 139 <222> LOCATION: LOCATION: 4 140 <223> OTHER INFORMATION: Xaa at position 4 is Nle 142 <220> FEATURE: 143 <221> NAME/KEY: MOD RES 144 <222> LOCATION: LOCATION: 6 145 <223> OTHER INFORMATION: Lys at position 6 is modified with Nepsilon-gamma- Glu (Nalpha -146 tetradecanoyl)-OH) 148 <400> SEQUENCE: 6 W--> 149 Xaa Leu Phe Xaa Tyr Lys 150 1 153 <210> SEQ ID NO: 7 154 <211> LENGTH: 6 155 <212> TYPE: PRT 156 <213> ORGANISM: Artificial Sequence 158 <220> FEATURE: 159 <223> OTHER INFORMATION: Synthetic 161 <220> FEATURE: 162 <221> NAME/KEY: MUTAGEN 163 <222> LOCATION: LOCATION: 1 164 <223> OTHER INFORMATION: Xaa at position 1 is formylated Nle 166 <220> FEATURE: 167 <221> NAME/KEY: MUTAGEN 168 <222> LOCATION: LOCATION: 4 169 <223> OTHER INFORMATION: Xaa at position 4 is Nle 171 <400> SEQUENCE: 7 W--> 172 Xaa Leu Phe Xaa Tyr Lys 174 <210> SEQ ID NO: 8 175 <211> LENGTH: 6 176 <212> TYPE: PRT 177 <213> ORGANISM: Artificial Sequence 179 <220> FEATURE: 180 <223> OTHER INFORMATION: Synthetic 182 <220> FEATURE: 183 <221> NAME/KEY: MUTAGEN 184 <222> LOCATION: LOCATION: 2 185 <223> OTHER INFORMATION: Xaa = Ala as a D-amino acid 187 <220> FEATURE: 188 <221> NAME/KEY: MOD RES 189 <222> LOCATION: LOCATION: 6

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/772,607C

PATENT APPLICATION: US/09/772,607C TIME: 08:40:19 Input Set : A:\PTO.AMC.txt Output Set: N:\CRF4\04172003\I772607C.raw 190 <223> OTHER INFORMATION: Lys at position 6 is modified with Nepsilon-gamma- Glu (Nalpha -191 tetradecanoyl)-OH) 193 <400> SEQUENCE: 8 W--> 194 Tyr Xaa Gly Phe Leu Lys 195 1 196 <210> SEQ ID NO: 9 197 <211> LENGTH: 6 198 <212> TYPE: PRT 199 <213> ORGANISM: Artificial Sequence 201 <220> FEATURE: 202 <223> OTHER INFORMATION: Synthetic 204 <220> FEATURE: 206 <221> NAME/KEY: MISC FEATURE 207 <222> LOCATION: LOCATION: 1 208 <223> OTHER INFORMATION: Tyr is modified with butoxycarbonyl 210 <220> FEATURE: 212 <221> NAME/KEY: MUTAGEN 213 <222> LOCATION: LOCATION :2 214 <223> OTHER INFORMATION: Xaa = Ala as a D-amino acid 217 <400> SEQUENCE: 9 W--> 219 Tyr Xaa Gly Phe Leu Lys 221 <210> SEQ ID NO: 10 222 <211> LENGTH: 6 223 <212> TYPE: PRT 224 <213> ORGANISM: Artificial Sequence 226 <220> FEATURE: 227 <223> OTHER INFORMATION: Synthetic 229 <220> FEATURE: 231 <221> NAME/KEY: MUTAGEN 232 <222> LOCATION: LOCATION: 2 233 <223> OTHER INFORMATION: Xaa = Ala as a D-amino acid 236 <400> SEQUENCE: 10 W--> 238 Tyr Xaa Gly Phe Leu Lys 241 <210> SEQ ID NO: 11 242 <211> LENGTH: 10 243 <212> TYPE: PRT 244 <213> ORGANISM: Artificial Sequence 246 <220> FEATURE: 247 <223> OTHER INFORMATION: Synthetic 249 <220> FEATURE: 250 <221> NAME/KEY: MOD RES 251 <222> LOCATION: LOCATION :10 252 <223> OTHER INFORMATION: Lys at position 10 is modified with Nepsilon-gamma- Glu (Nalpha -253 tetradecanoyl) -OH) 255 <400> SEQUENCE: 11 256 Pro His Pro Phe His Phe Phe Val Tyr Lys 257 1 10 259 <210> SEQ ID NO: 12 260 <211> LENGTH: 10

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/772,607C TIME: 08:40:19

Input Set : A:\PTO.AMC.txt

305 Ala Gln Ser Gly Leu Gly Cys Asn Ser Phe Arg Tyr Lys

Output Set: N:\CRF4\04172003\I772607C.raw

```
261 <212> TYPE: PRT
    262 <213> ORGANISM: Artificial Sequence
    264 <220> FEATURE:
    265 <223> OTHER INFORMATION: Synthetic
    267 <220> FEATURE:
    268 <221> NAME/KEY: MISC FEATURE
    269 <222> LOCATION: LOCATION: 1
    270 <223> OTHER INFORMATION: Pro at position 1 is modified with 9-
fluorenylmethyloxycarbonyl
    272 <400> SEQUENCE: 12
    273 Pro His Pro Phe His Phe Phe Val Tyr Lys
    276 <210> SEO ID NO: 13
    277 <211> LENGTH: 10
    278 <212> TYPE: PRT
    279 <213> ORGANISM: Artificial Sequence
    281 <220> FEATURE:
    282 <223> OTHER INFORMATION: Synthetic
    284 <400> SEQUENCE: 13
    285 Pro His Pro Phe His Phe Phe Val Tyr Lys
    288 <210> SEQ ID NO: 14
    289 <211> LENGTH: 29
    290 <212> TYPE: PRT
    291 <213> ORGANISM: Artificial Sequence
    293 <220> FEATURE:
    294 <223> OTHER INFORMATION: Synthetic
    296 <220> FEATURE:
    297 <221> NAME/KEY: MOD RES
    298 <222> LOCATION: LOCATION:29
    299 <223> OTHER INFORMATION: Lys at position 29 is modified with Nepsilon-gamma- Glu
(Nalpha -
    300
              tetradecanoyl)-OH)
    302 <400> SEQUENCE: 14
    303 Ser Leu Arg Arg Ser Ser Cys Phe Gly Gly Arg Met Asp Arg Ile Gly
                                             10
```

20

306

RAW SEQUENCE LISTING ERROR SUMMARY

PATENT APPLICATION: US/09/772,607C

DATE: 04/17/2003 TIME: 08:40:20

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\04172003\I772607C.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:4; Xaa Pos. 8
Seq#:6; Xaa Pos. 1,4
Seq#:7; Xaa Pos. 1,4
Seq#:8; Xaa Pos. 2
Seq#:9; Xaa Pos. 2
Seq#:10; Xaa Pos. 2